

LENNOX

Since it can adjust its airflow speed at any time, the EL296V delivers

CONSISTENT COMFORT



ELITE[®]
SERIES



EL296V

VARIABLE-SPEED,
TWO-STAGE GAS FURNACE

Efficient, quiet comfort

QUIET, EVEN COMFORT

A variable-speed motor allows the EL296V to constantly adjust airflow speed and gently disperse even heat throughout your home. Because it can fine-tune airflow to match demand, the motor minimizes wasted electricity. It also prevents loud blasts of air that can occur when single-speed systems start up.



COMFORT INNOVATIONS

TWO-STAGE GAS VALVE

Works with the variable-speed motor to match furnace output with household heating needs.

SPECIAL SOUND-ABSORBING INSULATION

Further reduces sounds for quiet operation.

VARIABLE-SPEED BLOWER MOTOR

Provides a quiet, consistent flow of air for enhanced comfort, efficiency and humidity control.

ICOMFORT®-ENABLED

Pairs with the iComfort® S30 ultra smart thermostat, so operation is always in sync with your schedule.

BALANCED PERFORMANCE

While most furnaces are either off or on, the EL296V can create heat at two different levels. This allows it to find a smart balance between energy use and comfortable warmth.

72°



ALWAYS EFFICIENT

With an efficiency rating of up to 96% AFUE*, the EL296V can potentially save you hundreds of dollars per year in energy costs. The EL296V's variable-speed motor can even help increase the efficiency of your outdoor cooling unit in the summer months.

USES **2/3**
LESS ENERGY
than a standard motor



The EL296V has earned the ENERGY STAR® certification, which means it meets or exceeds guidelines set forth by the U.S. Environmental Protection Agency.

EFFICIENCY INNOVATIONS

DURALOK PLUS™ HEAT EXCHANGER
Made of patented ArmorTuf™ steel to ensure high reliability and efficiency.

STAINLESS STEEL SECONDARY HEAT EXCHANGER
Allows the furnace to achieve higher efficiency levels by capturing additional heat.

SURELIGHT® INTEGRATED FURNACE CONTROL
Ensures reliable and efficient operation.

DUAL-FUEL-CAPABLE
Can be combined with a Lennox® electric heat pump for peak efficiency.

RELIABLY ENGINEERED



Like every Lennox furnace, the EL296V has undergone rigorous testing in our research lab to ensure the highest level of reliability. So you can relax and enjoy the warmth.

**LIFETIME
LIMITED WARRANTY**
HEAT EXCHANGER

**10 YEAR
LIMITED WARRANTY**
**WITH PRODUCT
REGISTRATION**

PEACE-OF-MIND PROTECTION

The EL296V comes with a limited lifetime warranty on the heat exchanger and a 5-year limited warranty on all remaining covered components.**

*AFUE, or Annual Fuel Utilization Efficiency, is a measure of how much usable heat is generated when natural gas is burned in the furnace. The higher the AFUE, the more heat you'll get from your natural gas, and the less gas you'll have to use to stay warm.

**Covered components may be eligible to receive a 10-year warranty. Online equipment registration at www.lennoxregistration.com is required within 60 days of installation (except in California and Quebec) or Lennox' base warranty will apply. Applies to residential applications only. See actual warranty certificate for details.

Note: Due to Lennox' ongoing commitment to quality, specifications and ratings are subject to change without notice.

Innovation never felt so good.®

EFFECTIVE INNOVATION

Engineered to increase comfort and decrease energy usage



BUILD AN ELITE® SYSTEM


On its own, the EL296V provides perfectly comfortable and efficient heating for your home. Use it in conjunction with other Elite® Series components, and you've got a home comfort system that's a cut above the rest. Impressive features. Stunning capabilities. Outstanding efficiency. That's Elite.

FINANCING YOUR COMFORT

Enjoy more comfort and purchasing power. Take advantage of flexible financing options that allow you to enjoy the innovation, precision and efficiency of Lennox on your terms.*

*Subject to credit approval. Minimum monthly payments required. See your Lennox Dealer for details.

Model	EL296UH045XV36B EL296UH070XV36B EL296DF045XV36B EL296DF070XV48B	EL296UH090XV36C EL296UH090XV48C EL296UH090XV60C EL296UH110XV48C EL296UH110XV60C EL296DF090XV60C EL296DF110XV60C	EL296UH135XV60D
Dimensions HxWxD (in) HxWxD (mm)	33 x 17-1/2 x 29-1/4 838 x 445 x 743	33 x 21 x 29-1/4 838 x 533 x 743	33 x 24-1/2 x 29-1/4 838 x 622 x 743



www.lennox.com 1-800-9-LENNOX

For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.

© 2018 Lennox Industries Inc. 18LN0095 07/18 (15X14)